


Amendments to the Claims:

Claim 1. (Currently amended): ~~Compounds~~ A compound of formula I,



in which

- **R₁** represents a hydroxyl radical, a linear or branched alkoxy radical of 1 to 5 carbon atoms, a carboxyl radical, an alkoxycarbonyl radical of 2 to 6 carbon atoms or a radical of formula:

- -NR₅R₆
- -NH-SO₂-Alk
- -NH-SO₂-Ph
- -NH-CO-Ph
- -N(Alk)-CO-Ph
- -NH-CO-NH-Ph
- -NH-CO-Alk
- -NH-CO₂-Alk
- -O-(CH₂)_n-cAlk
- -O-Alk-COOR₇
- -O-Alk-O-R₈
- -O-Alk-OH
- -O-Alk-C(NH₂):NOH
- -O-Alk-NR₅R₆
- -O-Alk-CN
- -O-(CH₂)_n-Ph
- -O-Alk-CO-NR₅R₆
- -CO-NH-(CH₂)_m-COOR₇

- -CO-NH-Alk

in which

- Alk represents an alkyl radical or a linear or branched alkylene radical of 1 to 5 carbon atoms,
- cAlk represents a cycloalkyl radical of 3 to 6 carbon atoms,
- n represents an integer from 0 to 5,
- m represents an integer from 1 to 5,
- R₅ and R₆, which are identical or different, each represent a hydrogen atom, a linear or branched alkyl radical of 1 to 5 carbon atoms or a benzyl radical,
- R₇ represents a hydrogen atom or an alkyl radical of 1 to 5 carbon atoms,
- R₈ represents an alkyl radical of 1 to 5 carbon atoms or a radical -CO-Alk,
- Ph represents a phenyl radical which is optionally substituted with one or more halogen atoms, with one or more alkoxy radicals of 1 to 5 carbon atoms, with one or more carboxyl radicals or with one or more alkoxycarbonyl radicals of 2 to 6 carbon atoms,
- R₂ represents a hydrogen atom, an alkyl radical of 1 to 5 carbon atoms, ~~an alkyl halide~~ a haloalkyl radical of 1 to 5 carbon atoms containing 3 to 5 halogen atoms, a cycloalkyl radical of 3 to 6 carbon atoms or a phenyl radical which is optionally substituted with one or more halogen atoms, with one or more alkoxy radicals of 1 to 5 carbon atoms, with one or more carboxyl radicals or with one or more alkoxycarbonyl radicals of 2 to 6 carbon atoms,
- A represents a radical -CO-, -SO- or -SO₂-,
- R₃ and R₄, which are identical or different, each represent a hydrogen atom, an alkoxy radical of 1 to 5 carbon atoms, an amino radical, a carboxyl radical, an alkoxycarbonyl radical of 2 to 6 carbon atoms, a hydroxyl radical, a nitro radical, a hydroxyamino radical, a radical of formula
 - -Alk-COOR₇
 - -NR₅R₆
 - -NH-Alk-COOR₇
 - -NH-COO-Alk
 - -N(R₁₁)-SO₂-Alk-NR₉R₁₀
 - -N(R₁₁)-SO₂-Alk

- -N(R₁₁)-Alk-NR₅R₆
- -N(R₁₁)-CO-Alk-NR₉R₁₀
- -N(R₁₁)-CO-Alk
- -N(R₁₁)-CO-CF₃
- -NH-Alk-HetN
- -O-Alk-NR₉R₁₀
- -O-Alk-CO-NR₅R₆
- -O-Alk-HetN

in which n, m, Alk, R₅, R₆ and R₇ have the meaning given above for R₁, and

- R₉ and R₁₀, which are identical or different, each represent a hydrogen atom or an alkyl radical of 1 to 5 carbon atoms,
- R₁₁ represents a hydrogen atom or a radical -Alk-COOR₁₂ where R₁₂ represents a hydrogen atom, an alkyl radical of 1 to 5 carbon atoms or a benzyl radical,
- HetN represents a 5- or 6-membered heterocycle containing at least one nitrogen atom and optionally another heteroatom chosen from nitrogen and oxygen,

or R₃ and R₄ form together a 5- to 6-membered unsaturated heterocycle, provided, however, that when R₃ represents an alkoxy radical and R₄ represents a radical -O-Alk-NR₉R₁₀ or a hydroxyl radical, R₁ does not represent an alkoxy radical, ~~optionally in the form of one of their~~ or a pharmaceutically acceptable salts salt thereof.

Claim 2. (Currently amended): ~~Compounds of formula I;~~ A compound according to Claim 1, in which

- R₁ represents a hydroxyl radical, a linear or branched alkoxy radical of 1 to 5 carbon atoms, a carboxyl radical, an alkoxycarbonyl radical of 2 to 6 carbon atoms or a radical of formula:
 - -NR₅R₆
 - -NH-SO₂-Alk
 - -NH-SO₂-Ph
 - -NH-CO-Ph
 - -N(Alk)-CO-Ph

- -NH-CO-NH-Ph
- -NH-CO-Alk
- -NH-CO₂-Alk
- -O-(CH₂)_n-cAlk
- -O-Alk-COOR₇
- -O-Alk-O-R₈
- -O-Alk-OH
- -O-Alk-NR₅R₆
- -O-Alk-CN
- -O-(CH₂)_n-Ph
- -O-Alk-CO-NR₅R₆
- -CO-NH-(CH₂)_m-COOR₇
- -CO-NH-Alk

in which

- Alk represents an alkyl radical or a linear or branched alkylene radical of 1 to 5 carbon atoms,
- cAlk represents a cycloalkyl radical of 3 to 6 carbon atoms,
- n represents an integer from 0 to 5,
- m represents an integer from 1 to 5,
- R₅ and R₆, which are identical or different, each represent a hydrogen atom, a linear or branched alkyl radical of 1 to 5 carbon atoms or a benzyl radical,
- R₇ represents a hydrogen atom or an alkyl radical of 1 to 5 carbon atoms,
- R₈ represents an alkyl radical of 1 to 5 carbon atoms or a radical -CO-Alk,
- Ph represents a phenyl radical which is optionally substituted with one or more halogen atoms, with one or more alkoxy radicals of 1 to 5 carbon atoms, with one or more carboxyl radicals or with one or more alkoxycarbonyl radicals of 2 to 6 carbon atoms,
- **R₂** represents an alkyl radical of 1 to 5 carbon atoms, a trifluoromethyl radical, a cycloalkyl radical of 3 to 6 carbon atoms or a phenyl radical which is optionally substituted with one or more halogen atoms, with one or more alkoxy radicals of 1 to 5 carbon atoms, with one or more carboxyl radicals or with one or more alkoxycarbonyl radicals of 2 to 6 carbon atoms,
- **A** represents a radical -CO- or -SO₂-,

- **R₃** and **R₄**, which are identical or different each represent a hydrogen atom, an alkoxy radical of 1 to 5 carbon atoms, an amino radical, a carboxyl radical, an alkoxycarbonyl radical of 2 to 6 carbon atoms, a nitro radical, a hydroxyamino radical, a radical of formula
 - -Alk-COOR₇
 - -NR₅R₆
 - -NH-Alk-COOR₇
 - -NH-COO-Alk
 - -N(R₁₁)-SO₂-Alk-NR₉R₁₀
 - -N(R₁₁)-SO₂-Alk
 - -N(R₁₁)-Alk-NR₅R₆
 - -N(R₁₁)-CO-Alk-NR₉R₁₀
 - -N(R₁₁)-CO-Alk
 - -N(R₁₁)-CO-CF₃
 - -NH-Alk-HetN

in which n, m, Alk, R₅, R₆ and R₇ have the meaning given above for R₁, and

- R₉ and R₁₀, which are identical or different, each represent a hydrogen atom or an alkyl radical of 1 to 5 carbon atoms,
- R₁₁ represents a hydrogen atom or a radical -Alk-COOR₁₂ where R₁₂ represents a hydrogen atom, an alkyl radical of 1 to 5 carbon atoms or a benzyl radical,
- HetN represents a 5- or 6-membered heterocycle containing at least one nitrogen atom and optionally another heteroatom chosen from nitrogen and oxygen;

~~optionally in the form of one of their pharmaceutically acceptable salts.~~

Claim 3. (Currently amended): ~~Compounds of formula I,~~ A compound according to either of ~~Claims 1 and 2, in which~~ Claim 2 wherein

- **R₁** represents an alkoxy radical of 1 to 5 carbon atoms, a carboxyl radical, a radical -O-Alk-COOH in which Alk represents an alkylene radical of 1 to 5 carbon atoms, a radical of formula -O-Alk-Ph in which Alk represents an alkylene radical of 1 to 5 carbon atoms and Ph represents a phenyl radical which is optionally substituted with one or more halogen atoms or with one or more alkoxy radicals of 1 to 5 carbon atoms or with one or more carboxyl radicals, a radical of formula -NH-CO-Ph, a radical of formula -NH-SO₂-Ph or a radical of formula -NH-CO-NH-Ph,

- **R₂** represents an alkyl radical of 1 to 5 carbon atoms,
- **A** represents a radical -CO-, and
- **R₃** and **R₄**, which are different, each represent a hydrogen atom, an alkoxy radical of 1 to 5 carbon atoms, an amino radical, a carboxyl radical or an alkoxy carbonyl radical of 2 to 6 carbon atoms;

~~optionally in the form of one of their pharmaceutically acceptable salts.~~


Claim 4. (Currently amended): ~~Compounds of formula I,~~ A compound according to Claim 1, ~~chosen from the following compounds~~ selected from the group consisting of:

- (4-amino-3-methoxyphenyl)(1-methoxy-2-methylindolizin-3-yl)methanone,₁
- 3-(4-amino-3-methoxybenzoyl)-2-methylindolizin-1-yl carboxylic acid,₁
- 2-{{3-(4-amino-3-methoxybenzoyl)-2-methylindolizin-1-yl}oxy}acetic acid,₁
- (4-amino-3-methoxyphenyl){1-[(4-chlorobenzyl)oxy]-2-methylindolizin-3-yl}methanone,₁
- (4-amino-3-methoxyphenyl){1-[(3-methoxybenzyl)oxy]-2-methylindolizin-3-yl}methanone,₁
- 4-({3-(4-amino-3-methoxybenzoyl)-2-methylindolizin-1-yl}oxy)methyl)benzoic acid,₁
- 3-(4-carboxybenzoyl)-2-methylindolizin-1-yl carboxylic acid,₁
- methyl 3-[(1-methoxy-2-methylindolizin-3-ylcarbonyl]benzoate,₁
- 4-[(1-methoxy-2-methylindolizin-3-yl)carbonyl]benzoic acid,₁
- 2-amino-5-[(1-methoxy-2-methylindolizin-3-yl)carbonyl]benzoic acid,₁
- 2-amino-5-({1-[(3-methoxybenzoyl)amino]-2-methylindolizin-3-yl}carbonyl)benzoic acid,₁
- 2-amino-5-({2-methyl-1-[(3,4,5-trimethoxybenzoyl)amino]indolizin-3-yl}carbonyl)benzoic acid, and
- 2-amino-5-({1-[[3-methoxyphenyl]sulphonyl]amino}-2-methylindolizin-3-yl}carbonyl)benzoic acid


~~optionally in the form of one of its~~ or a pharmaceutically acceptable salts salt thereof.

Claim 5. (Currently amended): ~~Method~~ A method for preparing the compounds ~~of formula I~~ according to ~~Claims 1 to 4,~~ characterized in that Claim 1 wherein



- A) an indolizine derivative of formula II,



in which R_1 and R_2 have the meaning given for formula I, but R_2 does not represent a hydrogen atom or ~~an alkyl halide~~ a haloalkyl radical,
is condensed with a derivative of formula III,




in which X represents a halogen atom and R_3 or R_4 , which are identical or different, each represent a hydrogen atom, a nitro radical, a trifluoroacetamido radical or an alkoxy carbonyl radical of 2 to 6 carbon atoms, in order to obtain the compounds of formula Ia, Id or Ik,



R_3 and/or $R_4 = \text{NO}_2$


R_3 and/or $R_4 = -\text{CO}_2\text{Alkyl}$



R_3 and/or $R_4 = -\text{NH-COCF}_3$

and then,

a) the compounds of formula Ia are subjected to a reduction in order to obtain the compounds of formula Ib,



R₃ and/or R₄ = -NH₂

in which R₃ and/or R₄ represent an amino radical, which compounds of formula Ib then

- are subjected to the action of an alkyl halide in order to obtain the compounds of formula I ~~for~~ in which R₄ and/or R₃ represent a radical -NR₅R₆ (in which R₅ represents a hydrogen atom and R₆ represents an alkyl radical of 1 to 5 carbon atoms) and a radical -NH-Alk-NR₅R₆ or a radical -NH-Alk-COOR₇ (in which R₇ does not represent a hydrogen atom) from which, by a subsequent saponification, the compounds of formula I are obtained ~~for~~ in which R₄ and/or R₃ represent a radical -NH-Alk-COOR₇ in which R₇ represents a hydrogen atom,

or

- are subjected to acylation in order to obtain the compounds of formula I ~~for~~ in which R₄ and/or R₃ represent a radical -NH-CO-Alk, or a radical -NH-CO-Alk-NR₉R₁₀, which are then subjected to alkylation in order to obtain a radical -N(R₁₁)-CO-Alk or a radical -N(R₁₁)-CO-Alk-NR₉R₁₀ where R₁₁ represents a radical -Alk-COOR₁₂ in which R₁₂ does not represent a hydrogen atom, the latter compounds are then optionally subjected to saponification in order to obtain the compounds of formula I ~~for~~ in which R₄ and/or R₃ represent a radical -N(R₁₁)-CO-Alk or a radical -N(R₁₁)-CO-Alk-NR₉R₁₀ where R₁₁ represents a radical -Alk-COOH,

or


- are subjected to sulphonylation in order to obtain the compounds of formula I ~~for~~ in which R₄ and/or R₃ represent a radical -NH-SO₂-Alk or a

radical $\text{-NH-SO}_2\text{-Alk-NR}_9\text{R}_{10}$, which are then subjected to alkylation in order to obtain a radical $\text{-N(R}_{11}\text{)-SO}_2\text{-Alk}$ or a radical $\text{-N(R}_{11}\text{)-SO}_2\text{-Alk-NR}_9\text{R}_{10}$ where R_{11} represents a radical -Alk-COOR_{12} in which R_{12} does not represent a hydrogen atom, the latter compounds are then optionally subjected to saponification in order to obtain the compounds of formula I ~~for~~ in which R_4 and/or R_3 represent a radical $\text{-N(R}_{11}\text{)-SO}_2\text{-Alk}$ or a radical $\text{-N(R}_{11}\text{)-SO}_2\text{-Alk-NR}_9\text{R}_{10}$ where R_{11} represents a radical -Alk-COOH

b) the compounds of formula Id in which R_3 and/or R_4 represent an alkoxy carbonyl radical are subjected to saponification in order to obtain the compounds of formula I in which R_3 and/or R_4 represent a carboxyl radical,


or

c) when R_1 represents a benzyloxy radical, the compounds of formula Ia are subjected to the action of trifluoroacetic acid or the compounds of formula Id to hydrogenation, in order to obtain the compounds of formula If,



~~in which R_3 and/or R_4 have the meanings given above,~~


and then the compounds of formula If are subjected to O-alkylation in order to obtain the compounds of formula Ig,



in which R_3 and/or R_4 have the meanings given above, and R_1 represents a linear or branched alkoxy radical of 1 to 5 carbon atoms, a radical $-O-(CH_2)_n-cAlk$, a radical $-O-Alk-COOR_7$, a radical $-O-Alk-NR_5R_6$, a radical $-O-(CH_2)_n-Ph$, or a radical $-O-Alk-O-R_8$ – which, when R_8 represents a radical $-COCH_3$, can give, by subsequent saponification, a radical $-O-Alk-OH$ or a radical $-O-Alk-CN$ which, by treatment with hydroxylamine, gives a radical $-O-Alk-C(NH_2)=NOH$,

or

d) when R_1 represents an alkoxy carbonyl radical, the compounds of formula Ia are subjected to saponification in order to obtain the compounds of formula Ih,





~~in which R_3 and/or R_4 have the meanings given above,~~ which are then subjected to the action of an amine derivative in order to obtain the compounds of formula I in which R_1 represents a radical $-CO-NH-Alk$, or to the action of an amino acid derivative in order to obtain the compounds of formula I in which R_1 represents a radical $-CO-NH-(CH_2)_m-COOR_7$

or

e) when R_1 represents a radical $-NH-CO_2tButyl$, the compounds of formula Ia or Id are subjected


- either to alkylation followed by deprotection and an optional second alkylation in order to obtain the compounds of formula Ii,
- or to deprotection, followed by acylation in order to obtain the compounds of formula Ij in which R_5 represents a hydrogen atom, followed by an optional alkylation in order to obtain the compounds of formula Ij in which R_5 represents an alkyl radical




or

f) when R_1 represents a radical $-NH-CO_2tButyl$, the compounds of formula **Ik** are subjected


- either to deprotection, followed by acylation in order to obtain the compounds of formula **II**



- or to deprotection followed by sulphonylation in order to obtain the compounds of formula **Im**




- or to deprotection, followed by a treatment with a phenyl isocyanate in order to obtain the compounds of formula **In**




OR

B) when R_1 represents an electron-attracting group, R_2 represents a hydrogen atom or ~~an alkyl halide~~ a haloalkyl radical and A represents a radical -CO-, pyridine is reacted with a bromoacetophenone of formula IV,



in order to obtain the compounds of formula V,



which are then subjected to a 1,3-dipolar cycloaddition with ethyl acrylate or a halogenated derivative of ethyl crotonate in the presence of an oxidizing agent in order to obtain the compounds of formula Ia in which R_1 represents an ethoxycarbonyl radical and R_2 represents a hydrogen atom or ~~an alkyl halide~~ a haloalkyl radical.

Claim 6-12 (Cancelled)

Claim 13. (New) A pharmaceutical composition comprising a compound according to Claim 1 together with a pharmaceutically acceptable excipient.

Claim 14. (New) A pharmaceutical composition comprising a compound according to Claim 4 together with a pharmaceutically acceptable excipient.

Claim 15. (New) A method for the treatment of diseases requiring modulation of b-FGFs which comprises administering to a patient in need of such treatment a therapeutically effective amount of a compound according to Claim 1.

Claim 16. (New) A method for the treatment of diseases requiring modulation of b-FGFs which comprises administering to a patient in need of such treatment a therapeutically effective amount of a compound according to Claim 4.

Claim 17. (New) A method according to Claim 15 for the treatment of carcinomas having a high degree of vascularization.

Claim 18. (New) A method according to Claim 16 for the treatment of carcinomas having a high degree of vascularization.

Claim 19. (New) A method according to Claim 17 for the treatment of carcinomas of the lung, breast, prostate, esophagus, colon and stomach, melanomas, gliomas, lymphomas, and leukemias.

Claim 20. (New) A method according to Claim 18 for the treatment of carcinomas of the lung, breast, prostate, esophagus, colon and stomach, melanomas, gliomas, lymphomas, and leukemias.

Claim 21. (New) A method according to Claim 15 for the treatment of cardiovascular diseases.

Claim 22. (New) A method according to Claim 16 for the treatment of cardiovascular diseases.

Claim 23. (New) A method according to Claim 21 for the treatment of atherosclerosis, post-angioplasty restenosis, diseases linked to complications which appear following the fitting of endovascular prostheses and/or aorto-coronary artery by-pass surgery or other vascular transplants, cardiac hypertrophy or diabetic retinopathies.

Claim 24. (New) A method according to Claim 22 for the treatment of atherosclerosis, post-angioplasty restenosis, diseases linked to complications which appear following the fitting of endovascular prostheses and/or aorto-coronary artery by-pass surgery or other vascular transplants, cardiac hypertrophy or diabetic retinopathies.

Claim 25. (New) A method according to Claim 15 for the treatment of chronic inflammatory diseases.

Claim 26. (New) A method according to Claim 16 for the treatment of chronic inflammatory diseases.

Claim 27. (New) A method according to Claim 25 for the treatment of rheumatoid arthritis or IBDs.

Claim 28. (New) A method according to Claim 26 for the treatment of rheumatoid arthritis or IBDs.

Claim 29. (New) A method according to Claim 15 for the treatment of achondroplasia, hypochondroplasia, or thanatophoric dysplasia.

Claim 30. (New) A method according to Claim 16 for the treatment of achondroplasia, hypochondroplasia, or thanatophoric dysplasia.